

LEARN

Adobe Premiere Pro CC

for Video Communication

SECOND EDITION

Adobe Certified Associate Exam Preparation

Joe Dockery
Condrad Chavez
Rob Schwartz



FREE SAMPLE CHAPTER

SHARE WITH OTHERS





LEARN

Adobe Premiere Pro CC
for **Video Communication**

SECOND EDITION

Adobe Certified Associate Exam Preparation

Joe Dockery
Condrad Chavez
with Rob Schwartz



LEARN ADOBE PREMIERE PRO CC FOR VIDEO COMMUNICATION, SECOND EDITION ADOBE CERTIFIED ASSOCIATE EXAM PREPARATION

Copyright © 2019 by Pearson Education, Inc. or its affiliates. All Rights Reserved.

Adobe Press is an imprint of Pearson Education, Inc.

For the latest on Adobe Press books and videos, go to www.adobepress.com.

To report errors, please send a note to errata@peachpit.com. For information regarding permissions, request forms and the appropriate contacts within the Pearson Education Global Rights & Permissions department, please visit www.pearsoned.com/permissions/.

Adobe Press Editor: Laura Norman

Development Editor: Steve Nathans-Kelly

Senior Production Editor: Tracey Croom

Compositor: Kim Scott, Bumpy Design

Copyeditor: Liz Welch

Proofreader: Kim Wimpsett

Indexer: James Minkin

Cover & Interior Design: Mimi Heft

Cover Illustration: Windesign/Shutterstock

NOTICE OF RIGHTS

If this guide is distributed with software that includes an end user license agreement, this guide, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by any such license, no part of this guide may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Adobe Systems Incorporated. Please note that the content in this guide is protected under copyright law even if it is not distributed with software that includes an end user license agreement.

NOTICE OF LIABILITY

The content of this guide is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe Systems Incorporated. Adobe Systems Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in the informational content contained in this guide.

Please remember that existing artwork or images that you may want to include in your project may be protected under copyright law. The unauthorized incorporation of such material into your new work could be a violation of the rights of the copyright owner. Please be sure to obtain any permission required from the copyright owner. Any references to company names in sample files are for demonstration purposes only and are not intended to refer to any actual organization.

TRADEMARKS

Adobe, the Adobe logo, Adobe Certified Associate, Creative Cloud, the Creative Cloud logo, Adobe Premiere Pro, Animate, Flash, Illustrator, Photoshop, Dreamweaver, Adobe Capture, Flash Player, and Typekit are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. All other trademarks are the property of their respective owners.

Apple, Mac OS, macOS, and Macintosh are trademarks of Apple, registered in the U.S. and other countries. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries.

Unless otherwise indicated herein, any third-party trademarks that may appear in this work are the property of their respective owners and any references to third-party trademarks, logos, or other trade dress are for demonstrative or descriptive purposes only. Such references are not intended to imply any sponsorship, endorsement, authorization, or promotion of Pearson Education, Inc. products by the owners of such marks, or any relationship between the owner and Pearson Education, Inc. or its affiliates, authors, licensees or distributors.

ISBN-13: 978-0-13-487857-7

ISBN-10: 0-13-487857-4

I would like to dedicate this book to my father, Robert Patterson, who was always there for me. His example of hard work and dedication to education has been a guiding light in my life.

—Joe Dockery

To Sarah, who makes everything better.

—Conrad Chavez

Acknowledgments

I wish to personally thank the following people for their contributions to creating this book:

My loving and understanding wife, Laura, who puts up with all the crazy projects I get myself into. Thank you for your patience and support. My family and students (Truman, Mason, Colten, and Liam) for helping me create all the assets for the book. My good friend, and founder of Brain Buffet, Rob Schwartz, who has been the driving force behind this book series. Thank you for your guidance and encouragement throughout the authoring process. My editor, Steve Nathans-Kelly, thanks for patiently catching all my errors. Your input made the book stronger. Lisa Deakes and the entire Adobe Education Leader crew for all your support. The Snoqualmie Valley School District and all my amazing students over the years. You have shaped the teacher and author that I am today.

—Joe Dockery

I'd like to thank Laura Norman at Peachpit for her support and encouragement, and Steve Nathans-Kelly for the editorial guidance that made this project go smoothly.

—Conrad Chavez

About the Authors

Joe Dockery (video author) has taught for 25 years in the Snoqualmie Valley School District and currently leads the Digital Media Academy at Mount Si High School. He engages his students in real-world design projects from their school and community to ensure they receive authentic learning experiences. As an Adobe Education Leader, Joe Dockery consults and trains nationwide on the use and integration of Adobe software. His awards include the Washington State Golden Apple Award, Radio Shack National Technology Teacher of the Year Award, Educator of the Year Award from the Snoqualmie Valley Schools Foundation, International Society for Technology in Education (ISTE)'s "Best of the Best" and "Making IT Happen" awards, Adobe Education Leader "Impact" Award, and Give Good Awards: Educational Excellence 2015. Joe is an Adobe Certified Associate in Premiere Pro CC.



Conrad Chavez (book author) is an author and photographer with over two decades of experience with Adobe digital media workflows. During his time at Adobe Systems Inc., Conrad helped write the user guide for Adobe Premiere (the precursor to Adobe Premiere Pro). He is the author of several titles in the Real World Adobe Photoshop and Adobe Classroom in a Book series, and he writes articles for websites such as CreativePro.com and peachpit.com. Visit his website at conradchavez.com.



Rob Schwartz, author of *Learn Adobe Photoshop CC for Visual Design* and contributor to the Learn series, is an award-winning teacher (currently at Sheridan Technical College in Hollywood, FL) with more than 15 years' experience in technical education. Rob holds several Adobe Certified Associate certifications and is also an Adobe Certified Instructor. As an Adobe Education Leader Rob won the prestigious Impact Award from Adobe, and in 2010 Rob was the first Worldwide winner of the Certiport Adobe Certified Associate Championship. Find out more about Rob at his online curriculum website at brainbuffet.com.



Contents

- Getting Started viii
- 1 Introduction to Adobe Premiere Pro CC 3**
 - About Adobe Learn Books 4
 - Managing Files for Video Production 5
 - Downloading, Unpacking, and Organizing 10
 - Identifying Job Requirements 13
 - Starting Premiere Pro 15
 - Setting Up the New Project Dialog Box 18
 - Locating a Project and Editing Its Settings 24
 - Exploring Panels and Workspaces 25
 - Using Workspaces 35
 - Using Premiere Pro on a PC or Mac 36
 - Importing Media 38
 - Understanding a Basic Editing Workflow 43
 - Editing a Sequence 44
 - Navigating the Timeline 56
 - Exploring the Editing Tools 57
 - Working with Audio 66
 - Adding a Simple Title 70
 - Using Video Transitions and Effects 75
 - Exporting a Finished Video File 80
 - Challenge 87
 - Conclusion 87
- 2 Editing an Interview 89**
 - Preproduction 89
 - Setting Up the Interview Project 90
 - Creating the Interview Sequence 95
 - Diving Deeper into the Workspace 99
 - Making Quick Fixes to Audio 105
 - Making Quick Fixes to Color 110
 - Subtracting Unwanted Clip Segments 114
 - Getting Organized in the Timeline Panel 119
 - Applying L and J Cuts 120
 - Playing a Clip Faster or Slower 123
 - Playing a Sequence Smoothly 125
 - Varying Clip Speed Over Time 127
 - Using Markers 131
 - Adding Titles 133
 - Stabilizing a Shaky Clip 139
 - Merging Separate Video and Audio Files 142
 - Exporting with Adobe Media Encoder CC 143
 - Challenge: Mini-Documentary 147
- 3 Editing an Action Scene 149**
 - Getting Ready in Preproduction 149
 - Acquiring and Creating Media 151
 - Taking Another Look at Preferences 154
 - Setting Up the Action Scene Project 158
 - Importing Files and Maintaining Links 159
 - Inspecting the Properties of a Clip 163
 - Starting a Rough Cut 164
 - Editing with Vertical Video 168
 - Editing a Multicam Sequence 172
 - Finishing Sequence Edits 176
 - Sweetening Different Audio Types 177
 - Applying an Adjustment Layer 180
 - Reviewing Timeline Controls 182
 - Adding Credits 183
 - Recording a Voiceover 187
 - Nesting Sequences for Different Delivery Requirements 190

	Using Proxies and Removing Unused Clips	193
	Exporting Multiple Sequences	197
	Using the Project Manager	199
	Challenge	201
4	Compositing with Green Screen Effects	203
	Preproduction	203
	Setting Up a Project	204
	Compositing a Green Screen Clip with a New Background	207
	Adding and Animating More Graphics	212
	Exporting Final Video and Audio	219
	Challenge: Create Your Own Composited Video	221
	Conclusion	221
5	Creating a Video Slide Show	223
	Preproduction	223
	Setting Up a Slide Show Project	224
	Creating a Sequence from Multiple Files Quickly	225
	Adding a Ken Burns Motion Effect	230
	Exporting Multiple Versions with Adobe Media Encoder	232
	Challenge: Your Own Slide Show	236
	Conclusion	236
6	Working in the Video Industry	239
	Phases of Production	239
	Reviewing Job Requirements	243
	Roles of a Video Production Team	246
	Communicating Effectively	248
	Visual Standards and Techniques	250
	Licensing, Rights, and Releases	263
	Moving Into the Industry	266
7	Wrapping It Up!	269
	Extending Premiere Pro CC with Adobe Creative Cloud	269
	Where to Go Next	277
	Good Luck, and Have Fun!	278
	ACA Objectives Covered	279
	Glossary	284
	Index	289

Getting Started

Welcome to *Learn Adobe Premiere Pro CC for Video Communication*! We use a combination of text and video to help you learn the basics of video editing with Adobe Premiere Pro CC along with other skills that you will need to get your first job as a video editor. Adobe Premiere Pro CC is a powerful program for capturing footage from a variety of devices and assembling it into professional-quality video with sophisticated transitions, special effects, and text. You can also use Premiere Pro to export your video to many popular formats that your viewers can watch on a wide range of screens, including desktop computers and mobile devices like phones and tablets.

About this product

Learn Adobe Premiere Pro CC for Video Communication was created by a team of expert instructors, writers, and editors with years of experience in helping beginning learners get their start with the cool creative tools from Adobe Systems. Our aim is not only to teach you the basics of the art of video editing with Premiere Pro but to give you an introduction to the associated skills (like design principles and project management) that you'll need for your first job.

We've built the training around the objectives for the Video Communication Using Adobe Premiere Pro CC (2018) Adobe Certified Associate Exam. If you master the topics covered in this book and video, you'll be in good shape to take the exam. But even if certification isn't your goal, you'll still find this training will give you an excellent foundation for your future work in video. To that end, we've structured the material in the order that makes most sense for beginning learners (as determined by experienced classroom teachers), rather than following the more arbitrary grouping of topics in the ACA Objectives.

To aid you in your quest, we've created a unique learning system that uses video and text in partnership. You'll experience this partnership in action in the Web Edition, which lives on your Account page at peachpit.com. The Web Edition contains 8 hours of video—the heart of the training—embedded in an online eBook that supports the video training and provides background material. The eBook material is also available separately for offline reading as a printed book or an eBook in a variety of formats. The Web Edition also includes hundreds of interactive review questions you can use to evaluate your progress. Purchase of the book in *any* format entitles you to free access to the Web Edition (instructions for accessing it follow later in this section).

Most chapters provide step-by-step instructions for creating a specific project or learning a specific technique. Other chapters acquaint you with other skills and concepts that you'll come to depend on as you use the software in your everyday work. Many chapters include several optional tasks that let you further explore the features you've already learned.

Each chapter opens with two lists of objectives. One list lays out the learning objectives: the specific tasks you'll learn in the chapter. The second list shows the ACA exam objectives that are covered in the chapter. A table at the end of the book guides you to coverage of all of the exam objectives in the book or video.

Most chapters provide step-by-step instructions for creating a specific project or learning a specific technique. Many chapters include several optional tasks that let you further explore the features you've already learned. Chapter 6 acquaints you with other skills and concepts that you'll come to depend on as you use the software in your everyday work. Here is where you'll find coverage of parts of Domain 1 of the ACA Objectives that don't specifically relate to features of Premiere Pro but that are important components of the complete skill set that the ACA exam seeks to evaluate.

Conventions used in this book

This book uses several elements styled in ways to help you as you work through the exercises.

Text that you should enter appears in bold, such as:

In the Link field in the Property inspector, type **<https://helpx.adobe.com/premiere-pro.html>**.

Terms that are defined in the Glossary appear in bold and in color, such as:

The **web font** that's used in the header of the page is just what the client is looking for. That's a great thing.

Links to videos that cover the topics in depth appear in the margins.

The ACA Objectives covered in the chapters are called out in the margins beside the sections that address them.

Notes give additional information about a topic. The information they contain is not essential to accomplishing a task but provides a more in-depth understanding of the topic.

NOTE

A histogram is a graph that represents how many pixels of each tonal value exist within the image.

 **Video 4.6** Create Picture-in-Picture

 **ACA Objective 2.4**

Operating system differences

In most cases, Premiere Pro CC works the same in both Windows and macOS. Minor differences exist between the two versions, mostly due to platform-specific issues. Most of these are simply differences in keyboard shortcuts, how dialogs are displayed, and how buttons are named. In most cases, screen shots were made in the macOS version of Premiere Pro and may appear somewhat differently from your own screen.

Where specific commands differ, they are noted within the text. Windows commands are listed first, followed by the macOS equivalent, such as Ctrl+C/Cmd+C. In general, the Windows Ctrl key is equivalent to the Command (or Cmd) key in macOS and the Windows Alt key is equivalent to the Option (or Opt) key in macOS.

As lessons proceed, instructions may be truncated or shortened to save space, with the assumption that you picked up the essential concepts earlier in the lesson. For example, at the beginning of a lesson you may be instructed to “press Ctrl+C/Cmd+C.” Later, you may be told to “copy” text or a code element. These should be considered identical instructions.

If you find you have difficulties in any particular task, review earlier steps or exercises in that lesson. In some cases, if an exercise is based on concepts covered earlier, you will be referred to the specific lesson.

Installing the software

Before you begin using *Learn Adobe Premiere Pro CC for Video Communication*, make sure that your system is set up correctly and that you’ve installed the proper software and hardware. This material is based on the original 2018 release of Adobe Premiere Pro CC (version 12.1) and is designed to cover the objectives of the Adobe Certified Associate Exam for that version of the software.

The Adobe Premiere Pro CC software is not included with this book; it is available only with an Adobe Creative Cloud membership, which you must purchase or which must be supplied by your school or other organization. In addition to Adobe Premiere Pro CC, some lessons in this book have steps that can be performed with Adobe Media Encoder and other Adobe applications. You must install these applications from Adobe Creative Cloud onto your computer. Follow the instructions provided at helpx.adobe.com/creative-cloud/help/download-install-app.html.



CHAPTER OBJECTIVES

Chapter Learning Objectives

- Apply special effects.
- Draw a simple opacity mask.
- Use the Ultra Key effect to remove a green screen.
- Animate effects with keyframes.
- Add video layers.

Chapter ACA Objectives

For full descriptions of the objectives, see the table on pages 279–283.

DOMAIN 1.0
WORKING IN THE VIDEO INDUSTRY
1.1, 1.2

DOMAIN 2.0
PROJECT SETUP AND INTERFACE
2.1, 2.3

DOMAIN 4.0
CREATE AND MODIFY VISUAL ELEMENTS
4.2, 4.5, 4.6

CHAPTER 4

Compositing with Green Screen Effects

In this project’s scenario, our editor for Brain Buffet TV is out today, so we need you to edit the weather report. This will give you some great practice compositing the footage shot on our green screen with the weather graphics. You’ll learn how to “key out” a background, import a layered Adobe Photoshop CC file, and light for green screen. The entire scene is only about 25 seconds long.

Preproduction

As you’ve learned, production can’t start until the project requirements are clearly understood. Let’s review them before you begin:

- **Client:** Brain Buffet TV
- **Target Audience:** Brain Buffet TV is broadcast at the Happy Old Retirement Home, so your target audience is 70–90 years old, mostly female.
- **Purpose:** The purpose of the weather report is to let the people living in the retirement home know what type of weather to expect if they go outside.
- **Deliverables:** The client expects a 20-to-30-second video featuring the weather report layered over the map and motion graphics illustrating the weather-related facts. The video should be delivered in H.264 720p. The client also requires an audio file that can be used to create a written transcript for the deaf. The audio should be delivered in MP3 format with a bitrate of 128 Kbps.

★ ACA Objective 1.1

★ ACA Objective 1.2

▶ **Video 4.1**
Introducing the Weather Report Project

Listing the available media files

Some media has already been acquired for the project. What do you have to work with? Unzip the project files using the same techniques you used for the previous project, and look through the unzipped folders:

- A master video clip shot in front of a green screen
- A weather map still image in Photoshop format with separate layers for sunshine, temperatures, and thunder and lightning
- A TV station logo still image in Photoshop format
- A hiking photo

With these items, you're ready to start setting up the project.

★ ACA Objective 2.1

★ ACA Objective 2.4

★ ACA Objective 4.5

▶ **Video 4.2**
Organize Your
Project

Setting Up a Project

Start the editing stage of production by practicing the project setup techniques you learned earlier in the book:

- 1 Start a new project, name it **weather report**, and save it in the project4_weatherman folder.
- 2 In the open project, switch to a workspace that displays the Project panel, such as the Assembly workspace.
- 3 Import the two files weatherReport.mp4 and hiking.jpg into the Project panel; leave the other files alone for now.

Importing layered Photoshop documents

★ ACA Objective 4.2

Now you'll import the two Photoshop files, and you'll see that they import slightly differently than the other files.

- 1 Import the weatherMap.psd file.

The Import Layered File dialog box appears. It lists the layers inside the document along with options for how to import them. You can import the layers as a single image or as individual images.

- 2 In the dialog box, click the Import As menu and choose Individual Layers (**Figure 4.1**); then click OK.

Check boxes let you choose which layers to import, but in this case you want all the layers, so leave them all them selected.

- 3 Click OK. Notice that the weatherMap.psd file was imported as a bin, with separate images inside the bin that were derived from each layer in the Photoshop file (**Figure 4.2**).

Layered Photoshop files are useful for video graphics because it's possible to animate each layer independently in Adobe Premiere Pro CC. You'll soon see how this works.

- 4 Import the BBLogo.psd file.
- 5 Click the Import As menu, choose Merge All Layers to import the file as a single image, and then click OK.

The logo was imported as a single image because there is no need to work with its layers separately in Premiere Pro.

White balancing a clip using a gray target

Create a new sequence based on the weatherReport.mp4 clip, using any of the techniques you've learned.

The weatherReport.mp4 clip begins with someone holding up a target with three shades of neutral gray on it.

Why does this clip start this way? It's a **green screen** clip, which features a subject against a solid green backdrop that you will soon replace with a different background. The process of removing a solid-colored background from a shot is called **chroma key compositing**, or "keying out" the background. *Chroma* refers to the color that's keyed out.

In a natural scene, the camera can usually find some neutral areas to use as a reference for white balancing the video. In a green screen clip, there are neither neutral colors nor natural colors. If the camera is set to automatic white balance, it has no reliable way of deciding what the proper white balance should be. The gray target provides the necessary neutral reference in the clip when you want to use the White Balance eyedropper in the color correction tools in Premiere Pro, such as the Fast Color Corrector you used in Chapter 3 or the Three-Way Color Corrector demonstrated in the tutorial video for this chapter.




Figure 4.1 Importing the layered PSD file as individual layers




Figure 4.2 Images from the layered weatherMap.psd file imported into a bin inside the Project panel, shown in List view

Why is such an unnaturally green color chosen as the key color? That color is easy for Premiere Pro to isolate and remove cleanly, without removing anything you want to keep visible. If you use a backdrop with a color that appears in nature, such as an earth tone, a background replacement feature might accidentally remove natural areas you want to keep visible, such as a person's face or clothing.

The target in the video has three strips representing highlights, midtones, and shadows. If you applied a color correction effect that has just one eyedropper, it may be best to click middle gray or white. If you applied a color correction effect with eyedroppers for different tonal ranges, such as the Fast Color Corrector (**Figure 4.3**), you'll want to do the following:

- Click the White Level eyedropper on the white stripe in the handheld target in the Program Monitor.
- Click the Gray Level eyedropper on the middle gray stripe.
- Click the Black Level eyedropper on the black stripe.




Figure 4.3 The Fast Color Corrector is an effect that uses three eyedroppers for more precise white balancing by sampling highlights, midtones, and shadows.

Preparing to shoot green screen clips

▶ Video 4.3 Video Lighting

A background replacement feature works best when the area to be replaced is cleanly defined so that it's easy to isolate. The background you're replacing must have consistent color and consistent lighting.

Follow these guidelines for successfully shooting a scene on a green screen background:

- Light the background evenly. If you have “hot spots,” you may need more lights to cover more of the background area, or you may need to add diffusers to the lights.
- Make sure the green screen is clean and not wrinkled. It should be solid and not contain any kind of a pattern or gradient. This is easy to achieve because you can buy rolls of green screen background or use green screen paint.
- Position the talent several feet away from the background. This will help prevent shadows from falling on the green screen and prevent green reflections (spill) on the talent. Doing so will also make it more likely that the background will be out of focus so that stains or wrinkles on the green screen will be less visible.
- Use a standard key light and fill light to make sure the talent is well lit. (A key light is about lighting the subject, not about chroma keying.)
- Add hair lights so that the rim light effect helps separate the outline of the talent from the background.
- Dress the talent in colors that are not similar to the green screen so that keying software can easily distinguish the background color that needs to be removed.

Compositing a Green Screen Clip with a New Background

Now you’re ready to remove the green screen, revealing the weather map underneath.

Drawing a garbage matte

The first phase of green screen compositing is to draw an **opacity mask**, which is traditionally called a **garbage matte**. Although it is possible to simply have Premiere Pro remove the background based on the green color, using an opacity mask quickly masks off the areas that never need to be shown at any point in the clip, reducing the amount of potential variation in the green screen color and making background removal easier and faster.


★ ACA Objective 2.3


★ ACA Objective 4.6

▶ **Video 4.4** Key Weatherman over Weathermap

- 1 In the Timeline panel, drag the green screen clip, weatherReport.mp4, to a higher track. For example, put a green screen clip on V2 so that you can put the new background under it on track V1.
- 2 Drag the weather map graphic, Washington_ref_2001/weatherMap.psd, to track V1 at the beginning of the clip.
- 3 With the Rate Stretch tool, stretch Washington_ref_2001/weatherMap.psd to match the duration of weatherReport.mp4 (Figure 4.4). You need to use the Rate Stretch tool because Premiere Pro sees the PSD file as more of a video clip than a still image.

Figure 4.4 The weather-Map graphic set up with the correct position and duration in the Timeline panel



- 4 Make sure the weatherReport.mp4 clip is selected in the Timeline panel.
- 5 Scrub through or play back the sequence and note how far out weather reporter Joe's hands extend during the presentation.
- 6 In the Effect Controls panel, expand the Opacity setting.
- 7 Select the Free Draw Bezier tool () (Figure 4.5).




Figure 4.5 The Free Draw Bezier tool selected in the Effect Controls panel and positioned over the Program Monitor

- In the Program Monitor, click the Free Draw Bezier tool around Joe to draw a rough mask that stays outside the furthest reach of Joe's hands during the presentation (Figure 4.6).

TIP

If you've used the Pen tool in other Adobe applications such as Adobe Illustrator or Adobe Photoshop, you already know how to use the Free Draw Bezier tool in Premiere Pro.

The mask doesn't have to follow Joe's outline tightly or precisely; leave a bit of margin between Joe and the mask path. Click only in the green areas; don't click any points inside Joe, and don't let any path segments cross over Joe.

- When you're ready to close the path, click the tip of the Free Draw Bezier tool on the first point you drew.

The path automatically closes. The area outside the mask becomes transparent (Figure 4.7).

- Play back the sequence and see if any part of Joe's body crosses over the mask at any time.
- If you need to move a path point or make other adjustments to the path, use the Selection tool to reposition any points on the mask path. If you need to move a point outside the frame, zooming out will let you see outside the frame.
- If you want to convert any straight segments to a curved segment, Alt-drag (Windows) or Option-drag (macOS) a point to extend Bezier handles. These handles curve the segments extending from a point (Figure 4.8).



Figure 4.6 Drawing the path of an opacity mask



Figure 4.7 A completed opacity mask path




Figure 4.8 Creating curved segments by extending Bezier handles

KEYING OUT THE GREEN BACKGROUND

With the garbage matte in place, now you can have Premiere Pro concentrate on isolating and removing the green screen color that remains.

- 1 In the Effect Controls panel, find the Ultra Key video effect (remember to use the search feature in the Effects panel). Drag Ultra Key from the Effect Controls panel and drop it on the weatherReport.mp4 clip in the Timeline panel.
- 2 In the Effect Controls panel, scroll down to the Ultra Key settings and select the Key Color eyedropper (Figure 4.9).




Figure 4.9 The Key Color eyedropper selected in the Ultra Key settings; the pointer is now an eyedropper.

- 3 Click the Key Color eyedropper on the green screen in the Program Monitor. This samples the green color that Ultra Key should remove, and what was the green screen color should now be transparent (Figure 4.10).

Figure 4.10 Before and after clicking the green screen color with the Key Color eyedropper



TIP

You may get better results if you click the Key Color eyedropper in a darker area of the green screen.

- 4 In the Effect Controls panel, go to the Ultra Key settings, click the Output menu, and choose Alpha Channel. This displays the mask created by Ultra Key so you can see whether it is clean enough (Figure 4.11).




Figure 4.11 After choosing the Alpha Channel setting

There is a saying that can help you remember how to read an alpha channel: “White reveals, black conceals.” White mask areas allow the clip to display because they represent opaque areas, whereas black areas are part of the mask that makes those areas of the clip transparent. Gray areas are partially transparent, so dark gray areas are mostly transparent but still let through some of those clip areas.

- 5 Scrub through the sequence to see if the mask is clean for the entire sequence.
- 6 If the mask is not clean (not fully black) in some areas, in the Effect Controls panel go to the Ultra Key settings, click the Settings menu, and choose a different option to see which one works best. Each option is a preset for the advanced settings below the Key Color option (**Figure 4.12**). If the advanced settings are expanded, you can see how they change when you choose a Settings preset.

TIP

You can address green spill using the Matte Cleanup options in the Ultra Key effect, especially the Choke and Soften settings.

A common reason for mask variations is uneven lighting on the green screen.




Figure 4.12 Settings presets change the values in the advanced settings.

TIP

It might be worth playing back the sequence with the lower track hidden. Then you can preview the mask against a black background.

If you're feeling adventurous or already have a technical familiarity with keying, you can expand the Matte Generation, Matte Cleanup, Spill Suppression, and Color Correction settings and try adjusting them. If it feels like you have to work too hard to produce a clean mask, the fastest fix may be to sample a different Key Color by repeating steps 3–5.

- 7 Scrub through the sequence to see if the mask is now clean for the entire sequence. If it isn't, try step 6 again.
- 8 In the Effect Controls panel, go to the Ultra Key settings, click the Output menu, and choose Composite.

This displays the composite result of the two tracks plus the mask applied to the upper track.

- 9 Play back the sequence to make sure it looks right. Watch out for irregularities in the keyed-out area, and keep an eye out for green spill on the subject.

★ ACA Objective 2.4

★ ACA Objective 4.6

▶ Video 4.5
Add Graphics

Adding and Animating More Graphics

With the weather presentation composited over the weather map, it's time to add some more graphics to help round out the weather report.

TIP

When you want to add more than one video or audio track, choose Add Tracks from the same context menu or choose Sequence > Add Tracks.

Adding a track

You'll soon add graphics on another track. If your sequence doesn't have an empty track above the sequence, add one.

Right-click (Windows) or Control-click (macOS) the Timeline panel just to the left of where the highest video clip starts, and choose Add Track (Figure 4.13). Premiere Pro adds a new video track above the track where you clicked.






Figure 4.13 Adding a track

Adding an animated logo

You need to add the Brain Buffet logo so that it enters the frame at the bottom-left corner while rotating and stops at the bottom-right corner of the frame.

- 1 In the weatherMap bin in the Project panel, drag BBLogo.psd to the beginning of the sequence, onto an empty track above the others.
- 2 Use the Rate Stretch tool () to display the logo during the entire duration of the sequence.
- 3 Select the logo and resize and reposition it in the bottom-right corner of the frame, in one of the following ways:
 - In the Program Monitor, double-click the logo, drag to reposition it, and drag its handles to resize it. Be careful not to accidentally drag the anchor point ().
 - In the Effect Controls panel, with the Motion settings expanded, make sure Uniform Scale is selected and scrub the Position and Scale values.
- 4 In the Effect Controls panel, adjust the Opacity value to around 70% to make the logo semitransparent (**Figure 4.14**).





Figure 4.14 Adjusting Opacity of the Brain Buffet logo at its final position

- 5 Move the playhead to the time when the logo should stop at the bottom-right corner, when Joe finishes saying “Welcome to Brain Buffet TV!”
- 6 In the Effect Controls panel, enable the Toggle Animation button for the Position and Rotation options so that it adds Position and Rotation keyframes at the current time (**Figure 4.15**).

Figure 4.15 Position and Rotation keyframes added at the playhead



NOTE

Because you rotated counterclockwise, it's normal for the Rotation angle to be a negative value.

TIP

As you add tracks to a sequence, you might want to drag the horizontal dividers between tracks and the audio/video track sections so that you can see what you want to work on.


- 7 In the Timeline panel, move the playhead to where Joe starts saying “Welcome to Brain Buffet TV!”
- 8 In the Program panel, if the logo isn't selected, double-click it, and then Shift-drag it to the left until it is slightly off screen. This is its starting point.
- 9 With the logo still selected, in the Effect Controls panel scrub the Rotation setting to the left to “wind up” the rotation in a counterclockwise direction to its starting point (Figure 4.16). Stop when the rotation angle is around -360 degrees.

Because Toggle Animation is on for Position and Rotation, a keyframe is added at the playhead.

TIP

When editing a keyframe, make sure the playhead snaps to it before editing the keyframe value. You know you're on it when Add Keyframe is blue.

Figure 4.16 Scrubbing to set the Rotation angle



- 10 To make the logo slow to a stop instead of suddenly stopping, right-click (Windows) or Control-click (macOS) the second Position keyframe, and choose Temporal Interpolation > Ease In from the context menu that appears (Figure 4.17).




Figure 4.17 Applying the Ease In command to the end of the motion

- 11 Play back the sequence and evaluate both the movement and rotation. Make any additional adjustments that are needed.

SPECIFYING ROTATION ANGLES

When entering an angle for Rotation, 360 degrees is a complete rotation in one direction, whereas -360 degrees is one complete rotation in the opposite direction. You can go beyond 360 degrees if you want to specify multiple rotations; for example, 1x20 means one complete clockwise rotation plus 20 degrees, and -2x-231 means two complete counterclockwise rotations plus another 231 degrees counterclockwise.

Adding weather graphics to the map

With the presenter now composited over the weather map, it's time to add the weather graphics that appear over the map: a lightning icon and a sun icon. They don't need to move, so to help keep them organized you'll first create a sequence that contains them both.

 **Video 4.6** Create Picture-in-Picture

- 1 In the weatherMap bin in the Project panel, create a new sequence based on the sun/weatherMap.psd file.
- 2 Rename the new sequence **sun and 75**.
- 3 From the weatherMap bin, drag the 75/weatherMap.psd file to the Timeline panel. In the Project Monitor, the 75 should appear just below the sun (Figure 4.18).




Figure 4.18 Adding the temperature to the sun

- 4 Click the weatherReport tab in the Timeline panel to make it active.
- 5 Play the weatherReport sequence so that you can identify where Joe says “sunshine and 75 degrees.” Position the playhead to the time where he starts saying that phrase, because that’s where you’re about to add the sequence you just created.
- 6 Drag the “sun and 75” sequence from the weatherMap bin and drop it in the Timeline panel, in the empty space just above the top track so that it begins at the playhead (Figure 4.19).




Figure 4.19 The “sun and 75” sequence nested within the weatherReport sequence

Dropping an item into the empty space above tracks automatically adds a track for the item you drop, so you don’t have to use the Add Track command in advance.

- 7 Add cross-dissolve video transitions to the start and end of the “sun and 75” clip to fade it in and out.
- 8 Play the weatherReport sequence so that you can identify where Joe says “thunder and lightning.” Position the playhead to the time where he starts saying that phrase, because that’s where you’re about to add the lightning graphic.
- 9 Drag the lightning/weatherMap.psd graphic from the weatherMap bin and drop it in the Timeline panel to the top track so that it begins at the playhead.
- 10 With the lightning/weatherMap.psd graphic selected in the Timeline panel, in the Effect Controls panel scrub the two Motion values (X and Y) to position the lightning graphic over Joe’s hand (**Figure 4.20**). This is another way to position a clip.




Figure 4.20 Adjusting the Position keyframe values for the lightning graphic

- 11 Animate the lightning graphic so that it slides down into the frame from the top to follow how Joe’s hand comes down when he mentions thunder and lightning.

You did this earlier in this chapter with the Brain Buffet logo, and you can use a similar technique here by using the Effect Controls panel to set Position keyframes at the start and stop of the animation. But this time the primary movement is along the y axis (the second Position option).

- 12 Play the weatherReport sequence so that you can identify where Joe says “camping.” Position the playhead to the time where he starts saying that phrase, because that’s where you’re about to add a hiking photo.
- 13 From the Project panel, drag the hiking.jpg file to the top track.
- 14 Resize and reposition hiking.jpg so that it appears to sit on Joe’s hand.
- 15 In the Effect Controls window, find the Drop Shadow video effect (it’s in the Video Effects > Perspective group). Drag Drop Shadow from the Effect Controls panel and drop it on the hiking.jpg clip in the Timeline panel.

TIP

This sequence contains more tracks and effects than you’ve worked with so far, which is more work for your computer’s processor. If playback isn’t smooth, click the Select Playback Resolution menu and choose a resolution lower than Full, such as 1/2.

TIP

If scrubbing requires dragging a long way to reach the values you want, press Shift while scrubbing.

16 In the Effect Controls panel, find the Drop Shadow settings until you like how it looks (Figure 4.21).




Figure 4.21 Drop Shadow settings in the Effect Controls panel

17 Play back the weatherReport sequence and clean up any loose ends that you find.

If you didn't edit out the gray target at the beginning, move the playhead to just before Joe says "Welcome to Brain Buffet TV!" Set a sequence In point, and set a sequence Out point after Joe stops talking at the end.

Exporting Final Video and Audio


When you're satisfied with how the sequence looks, export the final video using the H.264 YouTube 720 HD preset for easy online delivery and playback to the audience at the retirement home. As you did in Chapter 2, export the sequence to the Adobe Media Encoder queue for final rendering. But before you click the Render button, remember that one of the deliverables is an MP3 audio file that can be used to create a transcript for the hearing-impaired. You can easily create the audio file from the same sequence in Adobe Media Encoder so you don't have to export twice from Premiere Pro.

Video 4.7 Export with Adobe Media Encoder

To set up creation of the MP3 audio file:

- 1 In Adobe Media Encoder, select the weatherReport sequence you exported from Premiere Pro, and click the Duplicate button (Figure 4.22).

Figure 4.22 Duplicating the weatherReport sequence



- 2 In the Preset Browser panel, expand the System Presets list and then expand the Audio Only list.
- 3 Drag the MP3 128Kbps preset from the Preset Browser, and drop it on the duplicated sequence (Figure 4.23). The Format and Preset for the duplicate sequence change to indicate the new settings.




Figure 4.23 Dropping a preset onto a sequence

When you click the green Start Queue button in the Queue panel, Media Encoder will process the items in the queue, producing H.264 video and MP3 audio versions of the sequence for you.

NOTE


A Media Encoder queue item doesn't update if you edit the sequence it came from. If you change the content of a sequence and want to render the revised version, you must export it from Premiere Pro again.

Challenge: Create Your Own Composited Video

Now it's time for you to come up with your own special effects video.

As you plan your project, remember Joe Dockery's Keys to Success (from the video):

- Keep it short, around 30–60 seconds long.
- Determine the background media. It can be a different part of your city, a picture or video of an exotic location, or even another planet.
- Determine the background that you'll remove. It can be a large sheet of paper or a painted wall, as long as it's a distinct color that won't be confused with any colors in the content that you want to keep visible.
- Shoot good-quality video and record good-quality audio to minimize the amount of work you have to do in postproduction.
- Frame actors tightly, such as from the waist up, to simplify keying.
- Plan the timing of the talent's lines and movements to coordinate them with other elements you want to composite into the scene.
- Set the white balance of the camera with the gray target.
- Follow the other guidelines for lighting and shooting green screen clips earlier in this chapter.

 **Video 4.8** *Special FX Challenge*

Conclusion

In this chapter you've gotten a taste of how Hollywood and television can make any idea look real by conceiving sequences as visual composites of live action video clips, backgrounds, and digital graphics. Let your own imagination run free!

Index

' (apostrophe) key, 117
\
, (comma) key, 50, 56
. (period) key, 50, 56
~ (tilde) key, 48, 92, 226
1:1 aspect ratio, 190
16:9 aspect ratio, 190
180-degree rule, 259

A

about this book, viii–ix, 4–5
ACA Objectives, ix
action, match on, 260
action scene editing project, 149–201
 adjustment layer, 180–182
 audio editing, 177–180
 challenge exercise, 201
 credits, 183–186
 exporting multiple sequences, 197–198
 finishing sequence edits, 176–177
 importing reliable files, 159–160
 inspecting clip properties, 163–164
 media acquisition/creation, 151–153
 multicam sequence edits, 172–176
 preproduction process, 149–151
 Project Manager settings, 199–200
 proxies, 193–197
 recording a voiceover, 187–190
 relinking offline media, 160–162
 rough cut creation, 164–167
 setting up, 158–159
 Timeline productivity tips, 182–183
 unused clip cleanup, 197
 vertical video editing, 168–172
actor/talent, 247
Add Keyframe button, 129
Add Marker button, 132, 183
Add Tracks option, 212
Additive Dissolve transition, 78

additive editing, 105, 116
adjustment layers, 180–182
Adobe Add-ons, xiii
Adobe After Effects, 271–272
Adobe Application Manager, xi
Adobe Audition, 270–271
Adobe Bridge, 272–273
Adobe Capture app, 24, 274
Adobe Certified Associate (ACA) credential, xiii
Adobe Certified Associate (ACA) Exam, viii, 5
Adobe Character Animator, 271
Adobe Creative Cloud. *See* Creative Cloud
Adobe Forums, xiii, 25
Adobe Illustrator, 274
Adobe Learn books, 4
Adobe Media Encoder. *See* Media Encoder
Adobe Photoshop. *See* Photoshop
Adobe Portfolio, 276
Adobe Prelude, 270
Adobe Premiere Clip, 274
Adobe Premiere Pro. *See* Premiere Pro
Adobe Spark Video, 275
Adobe Stock, 17, 152, 275–276
Adobe Team Projects, 276–277
Adobe Typekit fonts, xii, 135
After Effects program, 271–272
AI file format, 139
Alpha Channel setting, 210–211
Ambience option, 179
anchor points, 213
animated logo, 213–215
appearance preferences, 155
application window size, 33
arrow keys, 53
art director, 247
artist release, 14
aspect ratios
 pixel, 164
 proxy, 196
 video, 190

- Assembly workspace, 101–102
- attention, directing, 252–254
- attributes, copying/pasting, 232
- audience, target, 244
- Audio Clips bin, 55
- Audio Clips folder, 11, 178
- audio editing, 66–70, 106–110
 - audio type assigned for, 109
 - configuring hardware for, 155
 - dragging and dropping clips for, 55
 - effects applied in, 106–107
 - Essential Sound panel for, 108–109
 - meters displayed for, 68
 - noise reduction in, 108–109
 - setting up for, 177–178
 - sound design tips for, 110
 - sweetening audio in, 178–180
 - Timeline panel controls for, 66
 - transitions applied in, 78–79
 - visibility options for, 67
 - volume adjustments in, 68–70
 - workspace setup for, 106
- audio effects, 106–107
- audio formats, 164
- audio hardware preferences, 155, 187–188
- Audio Meters panel, 29, 68
- audio recording, 187–190
 - audio hardware settings, 187–188
 - persistent audio, 261
 - Timeline settings, 188–189
 - voiceover recording steps, 189–190
- audio tracks
 - export options for, 84, 85
 - improving visibility of, 67, 107
 - volume adjustments for, 68–70
- Audio workspace, 106, 108, 177
- Audition, Adobe, 270–271
- Auto Tone setting, 113
- Automate to Sequence option, 48, 227, 229
- AVCHD format, 94

B

- background music, 178, 179–180
- backgrounds
 - importing graphics with transparent, 139
 - keying out green screen, 205, 210–212
- Backspace key, 37

- Balanced Background Music preset, 179
- balanced composition, 257
- before-and-after comparison, 113
- bins, 38
 - creating new, 40, 47–48
 - organizing media into, 40–41
 - origin of term, 93
 - preferences for, 154
 - rough cuts created from, 54–55
- bird's-eye shot, 254
- bitmap graphics, 274
- Bitrate Encoding option, 232–233
- black bars, 169–172
- Blacks control, 113
- Bold Title template, 184
- breaking the rules, 262–263
- Bridge, Adobe, 272–273
- Brightness preference, 155
- B-roll footage, 121–122, 261
- budgeting projects, 248
- Button Editor, 174, 194

C

- cameras
 - cutting between, 174–176
 - stabilizing shake from, 139–141
- caption export options, 85
- Capture Format option, 21
- challenge projects
 - composited video, 221
 - mini-documentary, 147
 - multi-camera sequence, 201
 - promotional video, 87
 - slide show video, 236
- Change Sequence Settings option, 98–99
- Character Animator program, 271
- chroma key compositing, 205
- client job requirements, 243–244
- clip markers, 132
- Clip Mismatch Warning alert, 98–99
- Clip Speed/Duration dialog box, 123
- clips
 - cleaning up unused, 197
 - color labels for, 120
 - deleting from Timeline, 53
 - dragging and dropping, 52, 55
 - effects added to, 75–76

- instances of, 119
- logging and naming, 9
- marking parts of, 115–116
- merging video and audio, 142–143
- naming/renaming, 120
- playback speed of, 123–125
- previewing the contents of, 41
- properties of, 163–164
- rearranging in a sequence, 65
- removing gaps between, 117
- sequences based on, 46
- setting In and Out points for, 116
- shortcuts for adding, 50–51
- stabilizing shaky, 139–141
- subtracting parts of, 114–118
- time remapping of, 127–130
- trimming, 41, 60–63

Close button, 30

Close Gap command, 176–177

Close Panel command, 30

cloud storage, 17–18

cloud-based services, 275–277

collaboration process, 3

color correction, 110–114

- expressive adjustments for, 113–114
- Fast Color Corrector for, 206
- Lumetri Color panel for, 110–114
- manipulating color through, 262
- previewing and resetting changes for, 113
- tone and saturation options for, 112–113
- white balance fixes for, 111–112, 205–206

color grading, 262

color labels for clips, 120

Color workspace, 111

communication, effective, 248–249

compositing project, 203–221

- adding and animating graphics, 212–219
- challenge on creating your own, 221
- drawing a garbage matte, 207–209
- export process, 219–220
- green screen shooting guidelines, 207
- keying out the green background, 210–212
- preproduction process, 203–204
- setting up, 204–207
- See also* green screen effects

composition principles, 256–259

context menus, 38

continuity editing, 260–261

Contrast control, 112

conventions used in book, ix

copying/pasting

- attributes, 232
- effects, 141, 232

copyrighted material, 264

Corner Pin effect, 172

costume designer, 247

Create Multi-Camera Source Sequence dialog box, 173

Create Proxies dialog box, 195

Creative adjustments, 113–114

Creative Cloud, 269–277

- cloud-based services, 275–277
- graphics applications, 273–274
- mobile apps, 274–275
- video production applications, 270–273

Creative Cloud (CC) Libraries, 24, 275

Creative Cloud desktop application, xi, 270

Creative Cloud Files storage, 17–18

Creative Commons licenses, 87, 264–265

credits, 183–186

- adding rolling, 185–186
- template for adding, 184–185

Cross Dissolve transition, 78

cross-cut, 261

customizing

- Project panel, 102
- Warp Stabilizer, 140–141
- workspaces, 99–101

cutaway shots, 261

D

deep focus shot, 252

Delete key, 37

deleting

- clips from Timeline panel, 53
- media cache files, 158
- ZIP files, 13
- See also* removing

deliverables, 245

development phase, 239–240

Dialogue button, 109, 179

digital imaging technician (DIT), 246

directing attention, 252–254

director of photography (DP), 246–247

director role, 246

- discontinuity, 262–263
- distance, shot, 250–252
- distractions, visual, 258–259
- distribution phase, 242
- Dockery, Joe, 87, 147, 154, 201, 221, 236
- docking panels, 29, 30, 31–32
- documentary project, 147
- dolly shot, 253
- Down Arrow key, 53
- downloading lesson files, 10
- dragging-and-dropping clips, 52, 55
- drive system setup, 21–23
- Drop Shadow effect, 218–219
- Duplicate button, 220, 234
- duration
 - rolling credits, 186
 - slide show image, 224
 - title, 73
 - transition, 77, 156
- Dutch angle, 263

E

- Ease In/Ease Out options, 186, 215, 231
- eBook edition of book, viii, xi–xii
- Edit Workspaces dialog box, 100–101
- editing
 - subtractive vs. additive, 105, 116
 - titles, 72–73, 135–138
 - See also* audio editing; video editing
- Editing workspace
 - panel layout in, 35–36
 - primary panels in, 26–28
- editor, video, 247
- educator resources, xiii
- Effect Controls panel, 77, 79, 114, 171
- effects
 - adding to clips, 75–76
 - adjustment layer, 181–182
 - applying to exported videos, 84
 - audio, 106–107
 - copying/pasting, 141, 232
 - Corner Pin, 172
 - Drop Shadow, 218
 - Gaussian Blur, 170
 - Ken Burns, 230–232
 - slide show motion, 230–232

- Ultra Key, 210–212
- Warp Stabilizer, 140–141
- Effects panel, 28, 75–76, 107
- Ellipse tool, 137
- embedding content, 5–6
- End key, 57
- Esc key, 72
- Essential Graphics panel, 72, 73, 134, 138, 184
- Essential Sound panel
 - overview on using, 108–109
 - sweetening audio using, 178–180
- establishing shot, 250
- exclusive licenses, 265
- Expand All Tracks option, 67
- Export Frame button, 64, 131
- Export Settings dialog box
 - options available in, 83–86
 - setting up an export in, 81–83, 197
- exporting, 44
 - Media Encoder for, 86, 143–146, 219–220, 232–235
 - multiple sequences, 197–198, 232–235
 - options available for, 83–86
 - queueing media for, 144–145
 - setting up sequences for, 80–83
 - still frames, 131
 - video slide shows, 232–235
- Exports folder, 12–13
- Exposure control, 112
- Extract button, 117
- eyedroppers
 - Key Color, 210
 - WB Selector, 112
- eyeline match, 260

F

- fair use, 264
- Fast Color Corrector, 206
- field of view, 250–252
- file path, 163
- files
 - embedding vs. linking to, 5–6
 - organizing into folders, 11–13
 - selecting multiple, 12
 - storage system for, 7–8
 - See also* media files

- Fill Right with Left effect, 106–107
- finding
 - stock media files, 151–152
 - templates, 17
- flash forward, 261–262
- flashback, 261
- floating panels, 29, 30, 33
- folders
 - creating project, 9
 - List view option for, 13
 - organizing files into, 11–13
 - See also* bins
- fonts, project, xii
- forums, Adobe, xiii
- Frame Blending option, 125
- Frame Hold option, 131
- frame rate, 163
- Frame Sampling option, 125
- frames
 - exporting, 131
 - extracting still, 64
 - freezing, 130, 131
- framing subjects, 256
- Free Draw Bezier tool, 208–209
- Freeze Frame icon, 130
- freezing frames, 130, 131
- fx badge, 128

G

- gaffer, 247
- gap removal, 118, 176–177
- garbage matte, 207–209
- Gaussian Blur effect, 170
- General tab, 18–21
- GIF file format, 139
- GPU Acceleration option, 19–20, 114
- graphics
 - adding for green screen composite, 212–219
 - Adobe applications for working with, 273–274
 - filling vertical black bars with, 170–172
 - importing with transparent backgrounds, 139
- graphics card, 20
- Graphics folder, 11
- Graphics workspace, 134, 136, 184
- gray target, 205

- green screen effects
 - adding and animating graphics for, 212–219
 - drawing garbage mattes for, 207–209
 - guidelines for shooting, 207
 - keying out green backgrounds for, 210–212
 - white balancing for, 205–206
 - See also* compositing project
- grouping panels, 29, 30, 34

H

- Hand tool, 56
- hard disk drives (HDDs), 8
- Help menu, 25
- hidden tools, 58
- high-angle shot, 254
- Highlight color preference, 155
- Highlights control, 113
- Home key, 57, 134
- hover-scrubbing clips, 41

I

- Illustrator, Adobe, 274
- Image Sequence option, 42
- Import Layered File dialog box, 204–205
- Import Presets button, 198
- importing
 - graphics with transparency, 139
 - Media Browser options for, 91–93
 - media files, 38–40, 42, 91–93, 159–160
- In and Out points
 - marking, 49–50, 115–116
 - trimming clips using, 41
- Incompetech website, 87, 152
- Ingest option, Media Browser, 162
- Ingest Settings tab, 24
- Insert button, 50, 51
- inspecting clip properties, 163–164
- installing Premiere Pro, x
- instances, clip, 119
- integration process, 3
- interview editing project, 89–147
 - audio adjustments, 105–110
 - clip playback speed, 123–125
 - color correction, 110–114
 - exporting with Media Encoder, 143–146
 - L and J cuts, 120–122

- markers, 131–133
- Media Browser imports, 91–93
- merging video and audio files, 142–143
- mini-documentary challenge, 147
- organization process, 119–120
- playing a sequence smoothly, 125–127
- preproduction process, 89–90
- removing unwanted clip segments, 114–118
- sequence creation, 95–99
- setting up, 90–91
- stabilizing shaky clips, 139–141
- time remapping, 127–130
- titles, 133–139
- workspace, 99–104

J

- J cuts, 120–122
- JKL keyboard shortcuts, 55, 56
- job requirements, 13–15, 243–245
 - client, 243–244
 - deliverable, 245
 - purpose for video, 245
 - target audience, 244
- JPEG file format, 139
- jump cuts, 118, 262

K

- Ken Burns effect, 230–232
- Key Color eyedropper, 210
- keyboard shortcuts, 37
 - for adding clips, 50
 - for adding markers, 133
 - for building rough cuts, 55–56
 - for creating new files, 17
 - for Media Browser imports, 93
 - for opening files, 17
 - for Timeline panel navigation, 56
 - for zooming in/out, 116
- keyframes
 - audio, 68–69
 - video, 128–129, 214
- keying out backgrounds, 205
- Keys to Success, 87, 147, 201, 221, 236

L

- L cuts, 120–122
- labeling clips, 120
- layers
 - applying adjustment, 180–182
 - importing Photoshop documents as, 204–205
 - list of Essential Graphics panel, 138
- lead room, 258
- leading lines, 258
- Learn tab, Start screen, 17
- legal issues, 14–15, 153, 263–266
 - licenses, 14, 87, 264–265
 - media attorney for, 265–266
 - model and property releases, 14, 153, 265
- lesson files, xi–xii, 10
- licenses, 14, 87, 264–265
- Lift button, 116
- Link Media dialog box, 161
- linked media files, 6, 160–162
- Linked Selection button, 183
- List view, 41–42, 47, 102–104
- Locate File dialog box, 162
- locating projects, 24–25
- location manager, 247–248
- Location option, 19
- Lock icon, 65, 122
- logo animation, 213–215
- long shot, 250
- low-angle shot, 255
- lower-third titles, 133
- Lumetri Color panel, 110–114

M

- Mac computers, x, 36–38
 - context menus, 38
 - keyboard shortcuts, 37
 - Preferences command, 38
- managing media files, 5–9
- Mark In/Out icons, 49–50, 115
- markers, 131–133
 - adding clip vs. sequence, 132
 - editing or annotating, 133
 - In and Out point, 49–50, 115–116
 - sequence, 132–133, 228–229
 - text notes added to, 230
- match cut, 260

- match on action, 260
- Matte Cleanup options, 211
- Media Browser panel, 42
 - advantages of using, 94
 - annotated illustration of, 92
 - importing media with, 91–93
 - Ingest option, 162
- Media Cache Preferences panel, 156–158
- Media Encoder, 272
 - annotated illustration of, 145
 - exporting with, 86, 143–146, 197–198, 219–220, 232–235
 - multiple versions export using, 232–235
- media files
 - bins for organizing, 40–41
 - creating your own, 153
 - embedding vs. linking to, 5–6
 - finding on stock websites, 151–152
 - importing, 38–40, 42, 91–93, 159–160
 - listing available/acquired, 14
 - organizing into folders, 11–13
 - preventing legal issues with, 14–15
 - relinking offline, 160–162
 - selecting multiple, 12
 - storage system for, 7–8
 - viewing imported, 41–42
- Media Offline screen, 160
- Media Preferences pane, 155–156
- mediafiles folder, 11, 12
- memorial slide show. *See* slide show video project
- menus
 - context, 38
 - Help, 25
 - overflow, 30
 - Panel, 30
 - Window, 26
 - Workspaces, 35
- Mercury Playback Engine, 20
- Merge Clips dialog box, 142–143
- metadata
 - entering for video export, 82, 83
 - List view display of, 104
- Metadata Display dialog box, 104
- Metadata Export dialog box, 82–83
- mid-shot, 251
- mini-documentary challenge, 147
- mobile apps, 274–275
- model release, 14, 153, 265
- modifier keys, 37
- monitors, multiple, 34
- motion effects, slide show, 230–232
- motion graphics template, 138–139
- MPEG multiplexing options, 84, 85
- multicam sequences, 172–176
 - adding to the Timeline, 174
 - creation of, 173, 201
 - cutting between cameras, 174–176
 - practicing edits with, 176
- multiple-monitor setup, 34
- music
 - background, 178, 179–180
 - Creative Commons licenses for, 87
 - licensing concerns related to, 14
 - video slide show, 226
- Mute track button, 66

N

- naming/renaming
 - clips, 9, 120
 - sequences, 47, 97
- navigation
 - techniques for time, 52
 - Timeline panel, 56–57
- nesting sequences, 190–192
 - one inside another, 191–192
 - social media adaptations, 191
- network storage, 8
- New Bin button, 40
- New Project dialog box, 17, 18–24
 - General tab, 18–21
 - Ingest Settings tab, 24
 - Scratch Disks tab, 21–23
- New Sequence dialog box, 95–97, 225
- noise reduction, 108–109
- nonexclusive licenses, 265

O

- one-drive system, 21
- online storage, 17–18
- opacity adjustments, 121, 213
- opacity mask, 207–209
- Open Project button, 17
- operating system differences, x

Optical Flow option, 125

organizing

- clips in Timeline panel, 119–120

- files into folders, 11–13

- media into bins, 40–41

- project drives with teams, 8

overflow menu, 30

overscan effect, 74

over-the-shoulder shot, 255, 256

Overwrite button, 50

P

pan shot, 253

Panel menu, 30

panels, 26–34

- arranging, 29–34

- Audio Meters, 29, 68

- docking, 29, 30, 31–32

- Effect Controls, 77

- Effects, 28, 75–76

- Essential Graphics, 72, 73

- Essential Sound, 108–109, 178–180

- floating, 29, 30, 33

- grouping, 29, 30, 34

- layout of, 35–36

- Lumetri Color, 110–114

- maximizing, 48

- Media Browser, 42

- Preset Browser, 198

- Program, 26–27, 44

- Project, 28, 43

- Properties, 163–164

- Source, 26–27, 43

- Timeline, 26–27, 43–44

- Tools, 29, 58

- Workspaces, 35

panning, 230

Paste Attributes dialog box, 232

Pen tool, 68, 69, 137, 209

persistent audio, 261

Photoshop

- editing photographs with, 273

- importing layered documents from, 204–205

Pixabay website, 152

pixel aspect ratio, 164

playback

- smooth sequence, 125–127

- speed adjustments, 123–125

- time remapping, 127–130

playhead

- time indicator, 52, 57, 182

- tips for moving, 116

PNG file format, 139

points of view, 254–256

postproduction phase, 242

preferences, 154–158

- appearance, 155

- audio hardware, 155, 187–188

- general behavior, 154

- Media Cache, 156–158

- media scaling, 155–156

- opening on PC vs. Mac, 38

- resetting to default, xiii, 15

- Timeline panel, 156

Preferences command, 38

Prelude Live Logger, 274

Prelude, Adobe, 270

Premiere Pro

- installing, x

- operating system differences, x

- resetting preferences, xiii, 15

- resources, xii–xiii, 25, 277–278

- starting, 15–18

- updating, xi

- Windows vs. Mac, 36–38

pre-production folder, 11, 12

preproduction phase, 240–241

- action scene editing project, 149–151

- compositing project, 203–204

- interview editing project, 89–90

- slide show video project, 223

Preset Browser panel, 198

presets

- audio, 179

- changed settings in, 233

- export, 232–233, 235

- sequence, 96, 220, 225–226

previewing

- color corrections, 113

- transitions, 127

- video clips, 41

producer role, 246

- production assistant, 247
- production designer, 247
- production phases, 239–242
 - development, 239–240
 - distribution, 242
 - postproduction, 242
 - preproduction, 240–241
 - production, 241–242
- production team, 246–248
- Program Monitor controls, 53
- Program panel, 26–27
 - marking In and Out points in, 115
 - video editing workflow and, 44
- Project Auto Save option, 23
- project files
 - organizing, 90
 - unzipping, 150
- Project folder, 11
- Project Manager, 199–200
- Project panel, 28, 101–104
 - customizing, 102
 - importing media into, 38–40
 - List view in, 41–42, 47, 102–104
 - moving up a level in, 45
 - rough cuts created from, 54–55
 - video editing workflow and, 43
 - working with media in, 41
- Project Template folder, 12
- projects
 - creating new, 17
 - editing settings for, 25
 - folder management, 9
 - locating, 24–25
 - opening, 17
 - sequences vs., 44
 - setting up, 18–24
- promotional video project, 87
- Properties panel, 163–164
- property release, 14, 265
- proxies, 127, 193–197
 - creating, 195–196
 - setting up for, 194–195
 - using in projects, 196–197
- proxy workflow, 24, 193–194
- PSD files, 139, 205
- public domain media, 264
- Publish video options, 85

R

- rack focus shot, 253
- Rate Stretch tool, 124, 208, 213
- Razor tool, 63–64, 116
- Recent projects list, 17
- recording audio. *See* audio recording
- Rectangle tool, 137
- Reduce Noise option, 109
- Reduce Rumble option, 109
- relinking offline media, 160–162
- Remove Unused Clips option, 197
- removing
 - gaps between clip sequences, 118
 - unused clips from projects, 197
 - unwanted clip segments, 114–118*See also* deleting
- renaming. *See* naming/renaming
- render bars, 126, 127
- Renderer option, 19
- Replace with Clip > From Bin command, 227, 228
- Reset to Saved Layout option, 36
- resetting preferences, xiii, 15
- resizing application window, 33
- resolution, playback, 126
- Resolve Fonts dialog box, 135, 184
- resources, xii–xiii, 25, 277–278
- Reveal in Project option, 190
- reverse-angle shot, 255
- Ripple Delete option, 118
- Ripple Edit tool, 61–62
- ripple edits, 61–62
- rolling credits, 185–186
- Rolling Edit tool, 62–63
- rolling edits, 62–63
- rotation angles, 215
- Rotation setting, 214
- rough cuts, 49–56, 164–167
 - building, 49–53, 166–167
 - creating from Project panel, 54–55
 - dragging and dropping clips into, 52
 - keyboard shortcuts for, 55–56
 - sequence creation for, 166
 - storyboard for guiding, 165
- royalty-free media, 151
- rubber band control, 68–69
- rule of thirds, 258

S

- safe margins, 74–75, 134
- saturation adjustments, 113
- Save Preset button, 86
- saving
 - presets, 86
 - workspaces, 35
- scaling media, 156
- scheduling projects, 241, 248
- scratch disk setup, 21–23
 - connections for, 23
 - dual-drive system, 21–22
 - single-drive system, 21
 - three or more drive system, 22–23
- Scratch Disks tab, 21–23
- screenwriter, 246
- script writing, 240
- Selection tool, 59–61
 - rearranging clips with, 65
 - resizing titles with, 72
 - trimming clips with, 60–61
- sequence icon, 45, 47
- sequence markers, 132
- Sequence Settings dialog box, 46
- sequences, 44–56
 - adapting for social media, 191
 - adding clips to, 50–51
 - Automate to Sequence option, 48, 227, 229
 - building rough cuts of, 49–56, 166–167
 - Clip Mismatch Warning alert, 98–99
 - creating new, 45–48, 95–98, 191
 - dragging clips into, 52
 - explanation of using, 44–45
 - exporting, 80–83, 197–198
 - interview project, 95–99
 - markers in, 131–133, 228–229
 - mixing media types in, 46
 - naming/renaming, 47, 97
 - nesting, 190–192
 - playing smoothly, 125–127
 - presets for, 96, 220, 225–226
 - projects distinguished from, 44
 - rearranging clips in, 65
 - removing marked segments from, 116–118
 - setting In and Out points for, 116
 - slide show video, 225–229
 - transitions added to, 76–77
 - verifying settings for, 48
 - vertical video added to, 168–169
 - video clips for creating, 46
- Shadows control, 113
- shaky clip stabilization, 139–141
- shallow focus shot, 252
- shooting video, 250–256
 - directing attention in, 252–254
 - distance and field of view in, 250–252
 - points of view in, 254–256
- shot lists, 150–151
- Show Video Keyframes option, 128
- slide show video project, 223–236
 - challenge on creating, 236
 - default transition for, 229–230
 - exporting multiple versions of, 232–235
 - Ken Burns motion effect, 230–232
 - preproduction process, 223
 - sequence creation, 225–229
 - setting up, 224
- Slide tool, 64
- Slip tool, 64
- slow-motion clips, 123–125
- Snap button, 183
- social media uploads, 85, 191
- solid-state drives (SSDs), 8, 23
- Solo track button, 66
- Sort button, Project panel, 102
- Source Monitor
 - adding clips to Timeline from, 51
 - marking In and Out points in, 49–50
 - overview of controls in, 53
- Source panel, 26–27, 43
- Spark Video app, 275
- Spatial Interpolation commands, 231
- speed adjustments
 - clip playback, 123–124
 - time remapping, 127–130
- stabilizing shaky clips, 139–141
- Start screen, 16–17
- starting Premiere Pro, 15–18
- startup preferences, 154
- still frames
 - duration setting, 156
 - exporting, 131
 - extracting, 64
- stock media websites, 151–152

- storing your files
 - cloud storage for, 18
 - multiple drives for, 7–8
 - Storyblocks website, 152
 - storyboards, 151, 165, 240
 - subtractive editing, 105, 116
 - sweetening audio, 178–180
 - symmetrical composition, 257
 - Sync Settings button, 18
- T**
- talent/actor, 247
 - target audience, 244
 - Team Projects option, 18, 276–277
 - templates
 - credits, 184–185
 - export, 82
 - finding, 17
 - motion graphics, 138–139
 - Temporal Interpolation commands, 231
 - text
 - adding, 70–72
 - editing, 72–73
 - See also* credits; titles
 - Text tool, 136–137
 - three-point editing, 167
 - Thumbs.db files, 11
 - Thunderbolt connections, 23
 - TIFF file format, 139
 - tight shots, 250–251
 - time
 - manipulation techniques, 261–262
 - navigation techniques, 52
 - notation conventions, 52
 - Time Remapping feature, 127–130
 - freezing a frame, 130
 - varying clip speed, 128–130
 - Timeline panel, 26–27
 - adjusting options in, 156
 - audio controls in, 66, 67, 188–189
 - clips added to, 51
 - display settings, 183
 - multicam sequences in, 174
 - navigation of, 56–57
 - organizing clips in, 119–120
 - overview of controls in, 57
 - productivity tips using, 182–183
 - rearranging clips in, 65
 - sequence creation in, 46
 - titles edited in, 72–73
 - trimming clips in, 60–61
 - video editing workflow and, 43–44
 - title bar, 24–25
 - titles, 133–139
 - adding, 70–72, 134–135
 - editing, 72–73, 135–138
 - safe margins for, 74–75, 134
 - saving as motion graphics template, 138–139
 - Toggle Multi-Camera View button, 175, 176
 - Toggle Proxies button, 194, 196
 - Tone settings, 112–113
 - tools, 57–65
 - Ellipse, 137
 - Free Draw Bezier, 208–209
 - Hand, 56
 - Pen, 68, 69, 137
 - Rate Stretch, 124, 213
 - Razor, 63–64
 - Rectangle, 137
 - Ripple Edit, 61–62
 - Rolling Edit, 62–63
 - Selection, 59–61
 - Slide, 64
 - Slip, 64
 - Text, 136–137
 - Track Select Forward, 65
 - Type, 71, 185
 - viewing hidden, 58
 - Zoom, 56
 - Tools panel, 29, 58
 - Track Select Forward tool, 65
 - tracks. *See* audio tracks; video tracks
 - transcoded clips, 24
 - transitions, 76–80
 - adding to sequences, 76–77
 - applying audio, 78–79
 - duration of, 77, 156
 - extra time required for, 80
 - previewing, 127
 - setting up default, 78
 - slide show video, 229–230
 - wise use of, 79

trimming clips

- In and Out points for, 41
- Ripple Edit tool for, 61–62
- Rolling Edit tool for, 62–63
- Selection tool for, 60–61

Triple Scoop Music website, 152

tutorials, Premiere Pro, xii–xiii, 17

two-drive system, 21–22

two-pass encoding, 232

two-shot, 251

Type tool, 71, 185

Typekit fonts, xii, 135

U

Ultra Key effect, 210–212

unbalanced compositions, 263

undocking panels, 33

unit production manager, 248

unpacking ZIP files, 10–11

Unsplash website, 152

Up Arrow key, 53

updates, software, xi

USB connections, 23

V

variable frame rate, 164

vector graphics, 274

vertical video, 168–172

- adding to a sequence, 168–169
- filling the black bars in, 169–172

Video Clips bin, 47–48

Video Clips folder, 11

video editing

- exploring tools for, 57–65
- panel arrangement for, 26–27
- techniques used in, 260–263
- vertical video and, 168–172
- workflow for, 27–28, 43–44
- See also* action scene editing project; interview editing project

video export options, 84

video industry, 239–266

- effective communication in, 248–249
- licensing, rights, and releases in, 263–266
- phases of production in, 239–242

project job requirements in, 243–245

roles of production team in, 246–248

visual standards/techniques in, 250–263

ways of working in, 266

video production applications, 270–273

video production team, 246–248

video sequences. *See* sequences

video slide show. *See* slide show video project

video tracks, 52, 70, 106, 122, 212

vignetting technique, 114

vision of productions, 249

visual standards/techniques, 250–263

- breaking the rules of, 262–263
- composition principles, 256–259
- editing techniques, 260–263
- types of shots, 250–256

voiceover audio, 187–190

- hardware settings for, 187–188
- steps for recording, 189–190
- Timeline settings for, 188–189

Voice-Over Record button, 66, 188–189, 190

volume adjustments

- track volume, 68–70
- voiceover audio, 190

W

Warp Stabilizer, 140–141

WB Selector eyedropper, 112

weather report video. *See* compositing project

Web Edition of book, viii, xi–xii

Welcome screen, 15

white balance adjustments

- color corrections and, 111–112
- gray target used for, 205–206

Whites control, 113

wide shot, 250, 251

Window menu, 26

Windows computers, x, 36–38

- context menus, 38
- keyboard shortcuts, 37
- Preferences command, 38

Work tab, Start screen, 17

workflow

- proxy, 24, 193–194
- subtractive, 105
- video editing, 27–28, 43–44

- workspaces, 35–36
 - Assembly, 101–102
 - Audio, 106, 108, 177
 - Color, 111
 - customization of, 99–101
 - Editing, 26–28, 35
 - Graphics, 134, 136, 184
- Workspaces bar, 100
- Workspaces menu, 35
- Workspaces panel, 35, 100
- worm’s-eye shot, 255
- wrench icon, 67

Y

- YouTube exports, 143–146, 235

Z

- ZIP files
 - archived project, 200
 - deleting, 13
 - unpacking, 10–11
- zoom shot, 251–252
- Zoom tool, 56
- zooming in/out, 116, 230–231